



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2023/B/3301639
Dated/दिनांक : 06-04-2023

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	17-04-2023 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	17-04-2023 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Finance
Department Name/विभाग का नाम	Department Of Economic Affairs
Organisation Name/संगठन का नाम	Security Printing And Minting Corporation Of India Limited (spmci)
Office Name/कार्यालय का नाम	Janpath
Total Quantity/कुल मात्रा	7
Item Category/मद केटेगरी	Meeting Table (Q3) , Executive Computer Table (Q3) , Revolving Chair (Version 2) (Q3)
MSE Exemption for Years Of Experience/वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/वर्षों के अनुभव के लिए स्टार्टअप को छूट प्राप्त है and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Single Packet Bid
Primary product category	Revolving Chair (Version 2)
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

Meeting Table (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Material of Table Top	Three Layer Prelaminated Particle Boards Of Grade-II Type-II Of IS:12823/Latest
	Material of Legs	Three Layer Prelaminated Particle Boards Of Grade-II Type-II Of IS:12823/Latest
	Material of Modesty Panel	Commercial Block Board BWP grade Conforming to IS 1659, N.A
GENERIC	Seating Capacity	6 SEATER
	Wire Management	With
	Number of socket box	0, 1, 2, 3, 4, 5, 6, 7, 8 Or higher
	Wire entry System	Through legs
	Type of understructure	wooden panel type
	Modesty panel	NO
DIMENSION	Length in mm (Select NA in case of Round Table) ±10(mm)	2100
	Width in mm (Diameter in case of Round Table)±10(mm)	1100
	Thickness of Top ±2(mm)	25, 30, 35, 45, 33 Or higher
COLOUR & FINISH	Colour of Laminate	teak
	Packing	Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher

Additional Specification Parameters - Meeting Table (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Number of socket box	02 or higher

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Vinodkumar Prabhakaran Pillai	400001,India Govt Mint, Shahid Bhagat Singh Marg Fort Mumbai , Maharashtra - 400001 India	1	30

Executive Computer Table (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Computer Table	Computer table with key board drawer and table top
	Construction of Computer/Printer Table	Gable end and modesty panel, Four legs
MISC	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue
	Gable end modesty panel plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue
FINISHING AND PACKING	Colour of Top	As per Buyer's Choice
MATERIAL	Material of table top,keyboard and drawer	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Gable end and Modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	Leg Material	NO LEGS
DIMENSION	Table top thickness ±2mm	25.0
	Thickness of gable end and modesty panel ±2mm	19

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Dimension of leg(mmXmm) ±5mm	No legs
	Length of table in mm (±15 mm)	1065.0
	Depth of table in mm (±10mm)	460.0
	Height of table in mm (±10mm)	760.0
	Width of outside drawer on top right side of the table with ball bearing (±5mm)	0.0
	Depth of outside drawer±5mm	0.0
	Height of outside drawer±5mm	0.0
KEYBOARD TRAY	Type of keyboard tray	Plastic PVC keyboard tray
	Material of keyboard tray and Right angle L-type supporting bracket	Plastic PVC sheet of standard quality
	Keyboard adjustability	underdesk keyboard arm
	fixing of supporting bracket	With telescopic
	Length of telescopic channel ±10mm	250mm
	Average weight of telescopic channel ±50Gms	300Gms per set
	Keyboard front width±10mm	600mm
	Keyboard depth±10mm	300mm
	Keyboard height±10mm	150mm
	Finish of exposed edges of keyboard tray	To be banded with 0.5-1.0mm thick PVC tape with the help of hot melt glue
	Material thickness of keyboard tray ±1mm	9mm
FOOTREST	Material of footrest	No footrest
	Length of footrest ±10mm	N.A
	Depth of footrest ±10mm	N.A
	Height of footrest ±10mm	N.A
	Finish of exposed edges	N.A
	Material thickness of footrest ±2mm	25mm, No footrest
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES

Additional Specification Parameters - Executive Computer Table (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Colour of Top	Teak

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vinodkumar Prabhakaran Pillai	400001,India Govt Mint, Shahid Bhagat Singh Marg Fort Mumbai , Maharashtra - 400001 India	1	30

Revolving Chair (Version 2) (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

* [As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair mechanism	Knee tilt Synchronic mechanism
	Height Adjustment ± 5 (mm)	up to 100 mm
	Armrest	With
	Type of backrest support	Adjustable Lumbar Support
	Armrest Type	Adjustable
	Ergonomic Seat Design	Yes
	Back type	Push Back
	Backrest has separate adjustable headrest	Yes
	Seat type	Fixed
	Seat is curved	Yes
	Locking mechanism	Yes
	Type of locking	4-Position Locking
	Number of arm movement	2 (Up and Down)
	MATERIAL	Pedestal Base
Twin wheel castor material		Nylon
Armrest Material		Polypropylene
Seat material		Pressed and moulded with PU foam
Backrest is made of		One piece injection moulded frame
Density of PU foam used in seat KG per Cu Meter (± 3)		45
Density of PU foam used in backrest in KG per Cu Meter (± 3)		N.A
Backrest upholstered with		Mesh Fabric
Seat upholstered with		100% polyester fabric
GSM/Thickness of fabric ± 5%(Gram/Square meter)		220 gram
Upholstered material colour		Black
DIMENSION		Overall width (± 10 mm)
	Backrest Height ± 15 mm	650 mm
	Backrest Width ± 10 mm	440 mm
	Seat Height ± 10 mm	440 mm
	Seat Width ± 10 mm	460 mm
	Seat Depth ± 10 mm	480 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of MS Plate Joining the under structure with Seat	3 mm
	Thickness of Plywood used in Seat ±1(mm)	12 mm
	Thickness of Plywood used in Backrest ± 1(mm)	N.A
	Pedestal Size (Diameter in mm) ±10 mm	650 mm
	Thickness of Polyurethane Foam Used in Seat in mm (±2 mm)	45 mm
	Thickness of Polyurethane Foam Used in Backrest in mm((±2 mm)	N.A
WARRANTY	Warranty period in number of years	1-year
TESTING AND CERTIFICATION	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes
	BIFMA Certification	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vinodkumar Prabhakaran Pillai	400001,India Govt Mint, Shahid Bhagat Singh Marg Fort Mumbai , Maharashtra - 400001 India	2	30

Revolving Chair (Version 2) (3 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair mechanism	Knee tilt Synchronic mechanism
	Height Adjustment ± 5 (mm)	up to 65 mm
	Armrest	With
	Type of backrest support	Backrest foam design based on lumber support
	Armrest Type	Fixed
	Ergonomic Seat Design	Yes
	Type of locking	3-Position Locking, 4-Position Locking
	Number of arm movement	2 (Up and Down), N.A
MATERIAL	Pedestal Base	Glass Fiber Nylon, Nylon base
	Armrest Material	Polypropylene, MS chrome plated
	Seat material	Pressed and moulded with PU foam
	Backrest is made of	One piece injection moulded frame
	Density of PU foam used in seat KG per Cu Meter (± 3)	45
	Density of PU foam used in backrest in KG per Cu Meter (± 3)	50, N.A
	Backrest upholstered with	Mesh Fabric, Leatherette
	Seat upholstered with	Leatherette, 100% polyester fabric
	GSM/Thickness of fabric $\pm 5\%$(Gram/Square meter)	220 gram
	DIMENSION	Overall width (± 10 mm)
Backrest Height ± 15 mm		650 mm, 690 mm
Backrest Width ± 10 mm		440 mm, 650 mm
Seat Height ± 10 mm		440 mm, 525 mm
Seat Width ± 10 mm		460 mm, 590 mm
Seat Depth ± 10 mm		480 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of MS Plate Joining the under structure with Seat	0.2 mm, 0.3 mm, 0.4 mm, 0.5 mm, 0.6 mm, 0.7 mm, 0.8 mm, 0.9 mm, 1 mm, 1.2 mm, 1.4 mm, 1.6 mm, 1.8 mm, 2 mm, 2.2 mm, 2.5 mm, 3 mm, 3.15 mm, 4 mm, 5 mm, N.A
	Thickness of Plywood used in Seat ±1(mm)	12 mm, 15 mm
	Thickness of Plywood used in Backrest ± 1(mm)	15 mm, N.A
	Pedestal Size (Diameter in mm) ±10 mm	650 mm
	Thickness of Polyurethane Foam Used in Seat in mm (±2 mm)	30 mm, 45 mm
	Thickness of Polyurethane Foam Used in Backrest in mm(±2 mm)	30 mm, N.A
WARRANTY	Warranty period in number of years	1-year, 5-years
TESTING AND CERTIFICATION	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes, No
	OEM of offered product is ISO 18001:2007/45001:2018 certified	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vinodkumar Prabhakaran Pillai	400001,India Govt Mint, Shahid Bhagat Singh Marg Fort Mumbai , Maharashtra - 400001 India	3	30

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

i). The terms and conditions, guidelines of SPMCIL Procurement Manual Version 2.0 will be applicable to this bid at any stage to avoid any conflict at later stage. Kindly refer GIT and GCC of SPMCIL Procurement Manual Version 2.0 for additional terms and conditions as per the links given below: GIT: <https://spmCIL.com/uploaddocument/GIT/new.pdf> GCC: <https://spmCIL.com/uploaddocument/GCC/new.pdf> 5 / 7

ii) Firm has to quote the items only of Godrej/Neelkamal/Durian/IKEA/Urban ladder make only.

iii) Undertaking for acceptance of all the terms and conditions of the GeM Bid including Buyer added Bid specific Terms and conditions along with technical specification & scope of work without any deviation to be submitted duly sealed and signed.

iv) Undertaking of declaration that the bidder is not blacklisted/debarred for dealing by Government of India in the past of the item.

v) Payment terms: On receipt and acceptance of goods by the store department and submission of all required documents by the supplier.

vi) Undertaking towards compliance of land border sharing criteria given in Clause no.3.5 of General instructions to tenderer (GIT)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---